


General

Illustrations overleaf show typical fixed or moored fishing gear configurations, which are well marked. The line should be weighted to ensure that it does not float to the surface, and the flags, at either end of the fleet, should be mounted on poles. Flags coloured black show the best silhouette at night, although the best way of ensuring visibility in the dark is by illumination.

NB: Local regulation may impose different standards from the advice given in this leaflet, and in this event, local requirements should take precedence over this advice.



Fishing float



Snagged propeller



Marking of Fishing Gear

Advice to Fishermen and Yachtsmen

The Maritime & Coastguard Agency
Spring Place
105 Commercial Road
Southampton SO15 1EG
Tel: 023 8032 9100
Fax: 023 8032 9298
www.mcga.gov.uk

© Crown copyright

This publication is available in a number of languages and formats. Please email diversity.monitoring@mcga.gov.uk or call 023 8032 9387 if you would like one.

Printed on material containing at least 75% post consumer waste

Published March 2008



Maritime and Coastguard Agency

An executive agency of the
Department for
Transport

MCA/067



Maritime and Coastguard Agency

Please note that more extensive requirements exist for Marking Fishing Gear deployed outside the 12 mile limit. Please contact the Marine and Fisheries Agency (in England), the Scottish Fisheries Protection Agency (in Scotland) or the Department for Agriculture and Rural Development (in Northern Ireland) for further guidance and advice outside 12 miles.

Advice to Fishermen and Yachtsmen

Each year the Coastguard has to deal with around 200-300 incidents where boats are snagged by their propeller or rudder on floating lines or fishing gear.



Fishermen

Fishing Gear should be clearly marked for all states of visibility with appropriate buoys and flags, and action taken to avoid the dangerous practice of lines floating on the surface. Gear should be set outside navigable channels. Fishermen also need to comply with local byelaws, and practice when setting gear. The dhan should be placed at the North or West end of the fleet to indicate its general direction, and there should be generous use of fluorescent strips and two bands of retro reflective tape on the dhan. It is recommended that a minimum size of a 1 metre (40 inch) circumference high visibility buoy be used at the other end of the fleet.

Fishing Gear Markers must always be marked with the Port Letter Number of the vessel to which they belong¹, and must also comply with any local marking requirements, laid down by Sea Fisheries Committees, Harbour Authorities and Devolved Administrations. It should be remembered that Local Byelaws are legally binding. For any non-commercial fishing vessels which may be unregistered, gear should be marked with the owner's name and contact telephone number.

¹ The Fishing Boats (Marking and Documentation) (Enforcement) Order 1993

Yachtsmen

Yachtsmen need to keep a sharp lookout for fishing gear, especially when navigating around headlands and harbour entrances.




Yachts and other craft departing from navigable channels in order to take a more direct route should keep as close a lookout for fishing gear as for divers and swimmers, and can normally obtain information from local authorities on the places where fishing gear is most likely to be encountered, as incidents of snagging do occur even when gear is clearly marked.

If fishing gear is spotted, it is necessary to keep well clear as the wind and tide may drive a vessel onto it. It may also be a sign that there is more gear in the vicinity. It is also important to be aware that fishing gear is frequently marked at both ends. Buoys can be used to determine the rate and set of the tide, which will assist with the decision which side to pass. It is very unwise to try to pass between a marker and float.

Although gear may have been set carefully, it nevertheless may be that on occasions at high tide a buoy is under the surface of the water, and at low tide slack lines may be near the surface.



EXAMPLE OF NETTING ARRANGEMENT



These images are examples only. Different arrangements may be found



EXAMPLE OF POTTING ARRANGEMENTS

